DECLARATION OF CONFIRMITY

DECLARATION OF CONFIRMITY OF THE MATERIAL PVC 1261/48 B



Created by:	Approved by Management:	Version:	Datum:	Ersetzt:
A. Sliwa	B.Funke	01	2023-09-14	-

The PVC 1261/48 B is in compliance with the following EU directives including all amendments up to this statements publication date.

- 1935/2004/EC, specifically this refers to the relevant articles 3, 11(5), 15 and 17
- 2023/2006/E
- 10/2011/EC

This product meets the requirements to come into contact with all food types only requiring testing in simulants A, B, C and/or E as defined in directive 10/2011/EC and its amendments up to this statements publication date. With the restriction that the contact is limited to 70 °C upto 30 minutes, repeated use.

The contact of food type 01.04, undenaturated ethyl-alcohol, with this belt is in lieu of the legislation not supported.

This product meets the requirements to come into contact with all food types that require testing in simulant D1 and/or D2 as defined in directive 10/2011/EC and its amendments up to this statements publication date, with the exception of food type 01.04. The contact is limited to 40 °C upto 30 minutes, repeated use.

This product meets the requirements to come into contact with food types 08.02, 08.03.A.I, 08.06.A, 08.08.A as defined in directive 10/2011/EC and its amendments up to this statements publication date. With the restriction that the contact is limited to 70 °C upto 30 minutes, repeated use.

The material is compliant with color fastness according to Resolution AP89(1).

The contact times and tempatures have been chosen to represent the actual usage of our product. The ratio of food contact surface area to volume used to establish the compliance of the article is 6 dm2/kg. One or more substances are present which are regulated with a specific migration limit (SML) or a quantitative maximum (QM). Our product is compliant with any SML and QM restrictions present for the conditions of repeated use mentioned above.

FDA compliance:

The cover is in compliance with FDA CFR21 paragraph 175.300 for conditions C through G for the following food types:

Nonacid (pH above 5.0), aqueous products; may contain salt or sugar or both, and including oil-in-water emulsions of low- or high-fat content.



DECLARATION OF CONFIRMITY

DECLARATION OF CONFIRMITY OF THE MATERIAL PVC 1261/48 B



Acidic (pH 5.0 or below), aqueous products; may contain salt or sugar or both, and including oil-in-water emulsions of low- or high-fat content.

Aqueous, acid or nonacid products containing free oil or fat; may contain salt, and including water-in-oil emulsions of low- or high-fat content.

Dairy products and modifications: A. Water-in-oil emulsion, high- or low-fat B. Oil-in-water emulsion, high- or low-fat

Low moisture fats and oils.

Beverages: Nonalcoholic

Bakery products

Dry solids

In addition, the conditions of use should be equal to or less severe than "pasteurizing above 150 degrees Fahrenheit". Users are encouraged to check paragraph 175.300 for the mentioned conditions of use.

Bernhard Funke Geschäftsführer Märtens Transportbänder GmbH Lise-Meitner-Str. 18, 24941 Flensburg

The submission of a declaration of conformity is subject to the provisions of the agreement we entered into with you. This agreement does not provide for an extension of liability. The customer is not exempted from its obligation to have appropriately qualified staff conduct a thorough examination of the functions and application options of the products delivered. With these statements earlier statements become invalid.

